



* Actual product appearance may differ from the above simulated scene.

Commercial Lite Guestroom TV

LT340H Series

Commercial Lite	Pro:Centric Value	Pro:Centric Direct	Pro:Centric Smart
-----------------	-------------------	--------------------	-------------------

The LT340H Commercial TV Series provides hotels with a cost-effective, reliable TV solution that has been designed to operate as a two-part solution (with an external set top box). The LT340H series delivers crisp, Full HD images anchored by a stylish, versatile commercial-grade stand.

PTAC Direct Sales, Inc.
185 S. Kimball Ave.
Suite 130
Southlake, TX 76092
877.454.7822 (T)
877.647.6408 (F)



Commercial Lite Guestroom TV

LT340H SERIES

KEY FEATURES

Quick Menu

LG has created a new Quick Menu (version 3.0), making it easier and more user friendly than ever. A creation tool enables production of hotel promotional videos and Quick Manager helps distribute information throughout the network.




Public Display Mode

From channel selection to volume level, you can control the TV settings in your hotel's common areas. Public Display Mode also enables restoration of your hotel's default settings on the TVs when required.



Commercial Swivel Stand

The LT340H commercial grade stand swivels to allow guests to view the TV from virtually any angle and can easily be fastened to a tabletop for security purposes.



Welcome Screen

Display a warm greeting message with your hotel name and logo on the TV when it is turned on. The welcome screen provides an inviting, personalized experience for your guests.



Commercial Lite Guestroom TV

LT340H SERIES

KEY FEATURES


External Speaker Out

Enhance the entertainment experience with an additional speaker (sold separately). Guests can listen to the TV audio from other rooms within their suite, not only the room where the TV is located.



IR Pass Through and Control

Connect an LG commercial set top box to the TV to create a system that can provide Pro:Centric® functionality, as well as either RF or IP content delivery.*



* Each TV needs its own set top box.


USB Auto Playback+

Create and play personalized media playlists (video, music or images) without having to connect a computer or install specialty software.



Multi-code IR

Multi-code IR function eliminates any remote control signal interference between TVs in rooms with multiple TVs installed.




LT340H SERIES

SIMPLE AND EFFECTIVE MAINTENANCE

USB Data Cloning

Create a media playlist of your choosing (video, music, and/or images), save it to a USB memory device, and then simply connect the USB memory device to the TV to stream your playlist sequentially.



Lock Mode

Lock Mode blocks external input signals with non-compliant content. This useful feature prevents the misuse of TVs in public spaces.



Self Diagnostics via USB

The LT340H TV Series stores 24-hour diagnostic data, which can be saved to a USB memory device, enabling service engineers to identify technical issues quickly and easily.




Commercial Lite Guestroom TV


LT340H SERIES

DIMENSIONS


32"



43"



49"



Commercial Lite Guestroom TV

LT340H SERIES

SPECIFICATIONS


		49LT340H0UA	43LT340H9UA	40LT340H-UA	32LT340H9UA
DISPLAY	Diagonal Size		43"		32"
	Resolution		1,920 x 1,080 (FHD)		1,366 x 768 (HD)
	Backlight Unit Type		Direct		Direct
	Brightness		400 nits		240 nits
	Refresh Rate		60 Hz		60 Hz
	Life Span		30,000 hours		30,000 hours
AUDIO	Speaker (Sound Output)		10 W + 10 W		5 W + 5 W
	Speaker System		2.0 ch		2.0 ch
HOSPITALITY	Quick Menu (Version)		Yes (3.0)		Yes (3.0)
	USB Cloning		Yes		Yes
	Diagnostics		Yes (USB)		Yes (USB)
	SI Compatible (TVLink Interactive)		Yes (RS-232C, HDMI)		Yes (RS-232C, HDMI)
	HTNG-CEC		Yes (1.4)		Yes (1.4)
	Simplink (HDMI-CEC)		Yes (1.4)		Yes (1.4)
	IR Out		Yes (RS-232C)		Yes (RS-232C)
	Multi-code IR		Yes		Yes
	Hotel Mode / PDM / Installer Menu		PDM		PDM
	Lock Mode		Yes		Yes
	Welcome Screen (Boot Logo)		Yes		Yes
	External Speaker Out (Stereo)		Yes		Yes
	RJP (Remote Jack Pack) Compatibility		Yes (HDMI)		Yes (HDMI)
	USB Auto Playback / USB Auto Playback+		Yes / Yes		Yes / Yes
	Auto Off / Sleep Timer		Yes / Yes		Yes / Yes
	Smart Energy Saving		Yes		Yes
	Motion Eye Care		Yes		Yes
	TV Reception		ATSC / QAM / VSB / Analog NTSC		ATSC / QAM / VSB / Analog NTSC
CONNECTIONS	HDMI In		2 (1.4)		2 (1.4)
	USB		1 (2.0)		1 (2.0)
	RGB In (PC)		Yes		Yes
	RS-232C In (Control & Service)		DB9 Male		DB9 Male
	RF In		1 (Tuner)		1 (Tuner)
	AV In		1 (Share with Component)		1 (Share with Component)
	Component In (Y, Pb, Pr-Video)		Yes		Yes
	Digital Audio Out		Optical		Optical
	PC Audio Input		1 (Share with Component Audio)		1 (Share with Component Audio)
	Line Out (3.5 mm Stereo Jack)		Yes		Yes
MECHANICALS	Front Color		Ceramic Black		Ceramic Black
	VESA Compatible		200 x 200		200 x 200
	Weight without Stand		17.6 lbs / 8.0 kg		10.7 lbs / 4.9 kg
	Weight with Stand		24.7 lbs / 11.2 kg		13.3 lbs / 6.1 kg
	Shipping Weight		30.6 lbs / 13.9 kg		16.2 lbs / 7.4 kg
	Dimensions without Stand (Depth to Back VESA Location)		38.5" x 22.6" x 2.8" 977 x 575 x 72 mm		29.1" x 17.4" x 2.9" 739 x 441 x 75 mm
	Dimensions without Stand (Depth to Back of Speaker)		38.5" x 22.6" x 3.2" 977 x 575 x 81 mm		29.1" x 17.4" x 3.3" 739 x 441 x 84 mm
	Dimensions with Stand		38.5" x 24.8" x 11.9" 977 x 630 x 303 mm		29.1" x 19.5" x 9.5" 739 x 495 x 241 mm
POWER	Shipping Dimensions		45.2" x 26.0" x 6.9" 1,147 x 660 x 175 mm		35.6" x 20.9" x 6.4" 905 x 530 x 162 mm
	Power Supply		120 V, 50 / 60 Hz		120 V, 50 / 60 Hz
	Power Consumption (Max)		85 W		48 W
	Power Consumption (Typical)		56 W		34.3 W
ACCESSORIES	Power Consumption (Standby)		Less than 0.5 W		Less than 0.5 W
	Remote Type		L-Con		L-Con
	Chromecast Dongle Anti-theft Cover		Yes		Yes
WARRANTY & OTHER	Power Cable		Yes (1.8 m, RA Type)		Yes (1.8 m, RA Type)
	Standards		UL		UL
	EMC Certification		FCC		FCC
	Warranty		Two-Year Limited Warranty		Two-Year Limited Warranty
	UPC		1 95174 02363 1		1 95174 02359 4

Commercial Lite Guestroom TV

LT340H SERIES

CONNECTIVITY

49" / 43" / 40" / 32"





PTAC Direct Sales, Inc.
185 S. Kimball Ave.
Suite 130
Southlake, TX 76092
877.454.7822 (T)
877.647.6408 (F)